

Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0. issued: 28.03.2017 Region: GB Replaced version: 1.0.1, issued: 27.11.2012

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Trade name

#### Gel Roller Pen Refill

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Ink for stationery products

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

Pentel Bürobedarf-Handelsgesellschaft mbH

Lademannbogen 143 22339 Hamburg

**GERMANY** 

Telephone no. +49 (0) 40 / 53 80 91 - 0 +49 (0) 40 / 53 85 58 - 7 Fax no.

#### Information provided by / telephone

+49 (0) 40 / 53 80 91 - 0

#### **Advice on Safety Data Sheet**

sdb\_info@umco.de

#### 1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Eye Dam. 1; H318 Repr. 2; H361f Skin Sens. 1; H317

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### <u>Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)</u>

#### **Hazard pictograms**



GHS05





Signal word

Danger



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB

#### Hazardous component(s) to be indicated on label:

reaction mass of: 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2,5-diethoxyphenyl)azo]-2,5-diethoxyphenyl

phosphonophenyl)azo]benzoic acid

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine

**Hazard statements** 

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P201 Obtain special instructions before use.

P273 Avoid release to the environment.
P280 Wear protective gloves/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

#### Labelling information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

#### 2.3 Other hazards

No data available.



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Hazardous ingredients**

No	Substance name		Additio		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration		%
	REACH no				
1	2,2'-thiodiethanol				
	111-48-8	Eye Irrit. 2; H319	>=	5.00 - < 10.00	%-b.w.
	203-874-3				
	603-081-00-6				
	-				
2	ethanediol				
	107-21-1	Acute Tox. 4*; H302	>=	5.00 - < 10.00	%-b.w.
	203-473-3				
	603-027-00-1				
	-				
3		i-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-			
		)azo]-2-[(3-phosphonophenyl)azo]benzoic acid			
	163879-69-4	Aquatic Chronic 2; H411	<	5.00	%-b.w.
	418-230-9	Expl. 1.3****; H203			
	611-129-00-2	Repr. 2; H361f***			
	-	Skin Sens. 1; H317			
		STOT RE 2*; H373**			
4	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine				
	110-25-8	Acute Tox. 4; H332	<	5.00	%-b.w.
	203-749-3	Aquatic Acute 1; H400			
	-	Eye Dam. 1; H318			
	-	Skin Irrit. 2; H315			
5	1,2-benzisothiazol-				
	2634-33-5	Acute Tox. 4*; H302	<	0.10	%-b.w.
	220-120-9	Aquatic Acute 1; H400			
	613-088-00-6	Eye Dam. 1; H318			
	-	Skin Irrit. 2; H315			
		Skin Sens. 1; H317			
6	glycerol				
	56-81-5	-	>=	5.00 - < 10.00	%-b.w.
	200-289-5				
	-				
	-				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
5	-	Skin Sens. 1; H317: C >= 0.05%	-	-

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

In case of persisting adverse effects, consult a physician. Change contaminated, saturated clothing.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

#### After skin contact

When in contact with the skin, clean with soap and water. Do NOT use solvents or thinners.



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Get medical attention if pain still persists.

#### After ingestion

Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

#### Unsuitable extinguishing media

No data available.

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

#### 6.4 Reference to other sections

No data available.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Remove soiled or soaked clothing immediately. Clean skin thoroughly after work; apply skin cream.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB

#### Advice on storage assembly

None known

#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	glycerol	56-81-5		200-289-5	
	List of approved workplace exposure limits (WELs) / EH40				
	Glycerol mist				
	TWA	10	mg/m³		
2	ethanediol	107-21-1		203-473-3	
	2000/39/EWG				
	Ethylene glycol				
	STEL	104	mg/m³	40	ml/m³
	TWA	52	mg/m³	20	ml/m³
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) / EH40				
	Ethane 1,2-diol				
	particulate				
	TWA	10	mg/m³		
	Skin resorption / sensibilisation	Sk			
	List of approved workplace exposure limits (WELs) / EH40				
	Ethane 1,2-diol				
	vapour				
	STEL	104	mg/m³		
	TWA	52	mg/m³		
	Skin resorption / sensibilisation	Sk		•	

#### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product . Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Normal chemical work clothing.

#### **Environmental exposure controls**

No data available.



Trade name: Gel Roller Pen Refill

Flash point Not applicable

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB

# SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties
Form/Colour
liquid
black
Odour
weak; characteristic
Odour threshold
No data available
pH value
No data available
Boiling point / boiling range
No data available
Melting point / melting range
No data available
Decomposition point / decomposition range
No data available



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB

**Auto-ignition temperature** 

No data available

Oxidising properties

No data available

**Explosive properties** 

No data available

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

No data available

**Evaporation rate** 

No data available

Relative density

No data available

Density

No data available

Solubility in water

No data available

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

9.2 Other information

Other information

No data available.

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

No data available.

#### 10.3 Possibility of hazardous reactions

No data available.

#### 10.4 Conditions to avoid

None known

### 10.5 Incompatible materials

None known.



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute oral toxicity (result of the ATE calculation for the mixture)			
No	Product Name Gel Roller Pen Refill		
1			
Remarks		The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).	

Acute oral toxicity	
No data available	

#### Acute dermal toxicity

No data available

Acute inhalational toxicity (result of the ATE calculation for the mixture)				
No	Product Name			
1	Gel Roller Pen Refill			
Remarks		The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).		

Acut	e inha	lational	I toxicity
Acut	C 111110	iationa	LOAIGILY

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/irritation

No data available

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Reproduction toxicity

No data available

#### Carcinogenicity

No data available

### STOT-single exposure

No data available

#### STOT-repeated exposure

No data available

#### Aspiration hazard

No data available



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

**Current version : 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB** 

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Toxicity to fish (acute)

No data available

#### Toxicity to fish (chronic)

No data available

#### **Toxicity to Daphnia (acute)**

No data available

#### **Toxicity to Daphnia (chronic)**

No data available

#### Toxicity to algae (acute)

No data available

#### Toxicity to algae (chronic)

No data available

#### **Bacteria toxicity**

No data available

#### 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Other adverse effects

No data available.

#### 12.7 Other information

#### Other information

Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

**Current version : 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB** 

#### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### 15.2 Chemical safety assessment

No data available.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.



Trade name: Gel Roller Pen Refill

Product no.: Ink: EnerGel Gel Ink for Refill LR7/LR10

Current version: 2.0.0, issued: 28.03.2017 Replaced version: 1.0.1, issued: 27.11.2012 Region: GB

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these

sections)

H203 Explosive; fire, blast or projection hazard.

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### Department issuing safety data sheet

**UMCO GmbH** 

Georg-Wilhelm-Str. 187, 21107 Hamburg, Germany

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.